

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addease COMMISSIONER FOR PATENTS PO Box 1430 Alexandria, Virginia 22313-1450 www.wopto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/579,123	10/16/2006	Nigel Graham Moore	02157.0029U1	6665
23859 7590 07/16/2010 Ballard Spahr LLP SUITE 1000			EXAMINER	
			NORMAN, MARC E	
999 PEACHTREE STREET ATLANTA, GA 30309-3915			ART UNIT	PAPER NUMBER
,			3744	
			MAIL DATE	DELIVERY MODE
			07/16/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

# Application No. Applicant(s) 10/579 123 MOORE ET AL. Office Action Summary Examiner Art Unit Marc E. Norman 3744 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 12 May 2006. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-28.31-37 and 39-61 is/are pending in the application. 4a) Of the above claim(s) 17.34-41 and 45-61 is/are withdrawn from consideration. 5) Claim(s) 1-16.18-28.31-33 and 42-44 is/are allowed. 6) Claim(s) \_\_\_\_\_ is/are rejected. 7) Claim(s) \_\_\_\_\_ is/are objected to. 8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abevance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some \* c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). \* See the attached detailed Office action for a list of the certified copies not received. Attachment(s)

U.S. Patent and Trademark Office PTOL-326 (Rev. 08-06)

1) Notice of References Cited (PTO-892)

Notice of Draftsperson's Patent Drawing Review (PTO-948)
 Information Disclosure Statement(s) (PTO/SB/08)

Paper No(s)/Mail Date 7/13/07; 7/31/08; 6/30/10.

Interview Summary (PTO-413)
 Paper No(s)/Mail Date.

6) Other:

5) Notice of informal Patent Application

### DETAILED ACTION

## Claim Suggestions

Applicant uses the limitation "and/or" several times throughout the claims, making it uncertain whether Applicant intends the language to mean "and" or "or". The Examiner recommends that Applicant change this to simply read "or", since for the purposes of patentability "or" fully incorporates one, the other, or both.

## Specification

The disclosure is objected to because of the following informalities: The specification fails to provide a brief description of Figures 9 and 10.

Appropriate correction is required.

#### Conclusion

This application is in condition for allowance except for the following formal matters:

The issues related to claims and specification, set forth above.

Prosecution on the merits is closed in accordance with the practice under Ex parte Quayle, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).

A shortened statutory period for reply to this action is set to expire TWO MONTHS from the mailing date of this letter.

Art Unit: 3744

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Marc E. Norman whose telephone number is 571-272-4812. The

examiner can normally be reached on Mon.-Fri., 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Cheryl Tyler can be reached on 571-272-4834. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MN

/Marc E. Norman/

Primary Examiner, Art Unit 3744